Total 2002 Population 15,370			Community Options and MA Waiver Programs					Per 10,000	
Population per square mile 17			i	•		Staffing - FTE	Number	Populátion	
County	ranking in	state (1-72) 64	COP MA Waiver *	Clients	Costs	Total staff Administrative Professional staf Technical/Parapro Support staff	19	12
obuncy	ranking in	otate (,	COP	7	\$209.270	Administrative	3	1.9
Age	Female	Male	Total	COP MA Waiver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury	•	Ψ200,270	Professional staf	f 9	5.8
0-14	1,420	1 450	2,860	CTP1A	7	\$333 626	Technical /Paranco	ı ıf	0.0
15-19	540	1,450 610	1,150	CIP1R	51	\$650 107	Support staff	,,,	4.5
20-24	540 400 330	610 480 370 420	880	CIPS	25	\$260 380	oupport starr	,	7.5
25-29	400	370	880 700	COD W	102	\$209,009 \$533,420	Funding		Don conita
30-34	410	420	820	COL -W	102	φ555,420 ¢0	Funding Total Local Taxes	\$404 971	426 10
35-39	410 500	510	1,020	Drain Injury	, 1	φυ 000 101Φ	Total	\$404,071 \$122,200	φ20.19 ¢0.56
	570	590	1,020	Totalii Ilijury	4	\$121,200 \$0.106.004	Local Taxes	Φ132,300	φο.ου
40-44	5/0	590	1,160	CSLA Brain Injury Total COP/Wvr	·S 196	\$2,126,094	LICENSED	COTADL TOUME	NTO
45-54	34 1-110 1-130 /-/40 1					LICENSED	E91ABL19UME	:NIO	
55-64	840	² 850 630	1,690	\$100,841 0	n the above	waiver costs	·	0	F11:4:
65-74	840 740 580 290	630	1,380	were paid as	Tocal matci	n/overmatch	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools	Capacity	racilities
75-84	580	430 160	1,010	using COP fu	inas. Inis a	amount is	Bed & BreakTast	5	1
_85+	290	160	450	not included	i in above Co	OP costs.	Camps	457	23
Total	7,740	7,630	15,370				Hoteis, Moteis	397	27
				* Waiver cos			Tourist Rooming	20	8
Age	Female	Male	Total	include fed	leral fundinç	g.			
	1,750	1,810	3,550				Restaurants		37
18-44	2,420 1,950	2,620 1,980	5,040		Clients	Costs	Vending		
45-64	1,950	1,980	3,930	Eligible and					
65+	1,610	1,220	2,840	Eligible and Waiting	0	n/a			
Total	1,610 7,740	1,220 7,630	15,370						
				(Family Care	not provided	d in county)	WIC PA	RTICIPANTS	
Poverty I	Estimates f	or 2000		,		- ,			
-	Esti	mate	(C.I.+/-)						Number
All ago	es 1	,807	118	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.			Pregnant/Postpartum 2 Infants 2		
J		11.8%	(7%)						
Ages 0-17 587 52			Waivers as available.			Children, age 1-4	ļ.	325	
Estimate (C.I.+/-) All ages 1,807 118 11.8% (7%) Ages 0-17 587 52 15.4% (9%)					Total		76°		
	EMPLO	YMENT					CANCER IN	ICIDENCE (20	000)
verage wa	age for job	s covered	d	Home Health A	gencies	2	Primary Site	•	•
y unemployment compensation \$23,447			Patients	J	231	Breast		13	
ممط مخما	مماهم أمم	بامرمین کے	•	Patients Patients per	10.000 pop	. 150	Cervical		0
	'		Annual	İ '	, , ,		Colorectal		6
abor For	ce Estimate	S	Average	Nursing Homes	1	2	Lung and Bronchus	:	17
	oo Locimato	_		Licensed hed	ls	159	Prostate	•	8
Civilian	Labor Forc	Δ	7 050	Occupancy re	114	22 1%	Other sites		36
Number employed 6 495		Decidents on	1 Dac 31	1/1/	Total		80		
Number	embroken		0,465 565	Decidents on	10 65 or old	1 44	locar		80
Nulliber.	unemproyed	•	0.00	Hestuelles ag	ie op oi otae	40	Notal Totals shaws	ono for	
Annual Abor Force Estimates Average Civilian Labor Force 7,050 Number employed 6,485 Number unemployed 565 Unemployment rate 8.0%			per 1,000 population 48			Note: Totals shown are for invasive cancers only.			

			NATA	LITY				
TOTAL LIVE BIRTHS		160	Rinth Order	Rinthe	Darcant	Marital Status		
			First Second Third Fourth or higher Unknown	56	35		Births	Percent
Crude Live Birth Rate		10.4	Second	48	30	Married	121	
General Fertility Rat			Third	32	20	Not married	39	24
delicial for criffing had	·C	57.0	Fourth or higher	24	15	Unknown	0	0
Live hirths with reno	rtad		Inknown	24	10	OTIKITOWIT	U	U
Live births with repo congenital anomalies	i teu	3 1 0%	OTIKITOWIT	U	U	Education		
congenital anomalies		0 1.50	First Propertal			of Mother	Births	Percent
Dolivony Typo	Din+ho	Donoont	First Prenatal Visit	Dintho	Percent	Elementary or les	DTLILI	3
Delivery Type Vaginal after	DILCHS	Percent	1st trimester	142	89	Came bigh cabas	5 5	3 7
Vaginal after	0		ist trimester	142	89	Some high school	11	10
previous cesarean	2	1	2nd trimester	15	9	High school	69	43
Forceps	0	0	3rd trimester	2	1	Some college	45	28
Other vaginal	131	82	2nd trimester 3rd trimester No visits Unknown	1	1	High school Some college College graduate	30	19
Primary cesarean	16	10	Unknown	0	0	Unknown	0	0
previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	11	7						
Other or unknown	0	0	Number of Prenatal	-		Smoking Status		
			Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	Births	Percent	No visits	1	1	Smoker	25	16
<1,500 gm	0	0.0	No visits 1-4 5-9 10-12	7	4	Nonsmoker	135	84
1,500-2,499 gm	10	6.3	5-9	67	42	Unknown	0	0
2,500+ gm	150	93.8	10-12	69	43			
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0						
			Unknown	0	0			
			Low Birthweight		Trimest	er of First Prenatal	 Visit	
			Low Birthweight (under 2,500 gm)	 1st Tr	 Trimest imester	er of First Prenatal 2nd Trimester	 Visit Other/	Unknown
Race of Mother	Births F	ercent	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births	Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent	 Visit Other/ Births	Unknown Percent
Race of Mother White	Births F	ercent 96	Low Birthweight (under 2,500 gm) Births Percent 10 6.5	1st Tr Births 137	Trimest imester Percent 89	er of First Prenatal 2nd Trimester Births Percent 15 10	Visit Other/ Births 2	Unknown Percent 1
Race of Mother White Black	Births F	Percent 96 1	Low Birthweight (under 2,500 gm) Births Percent 10 6.5	1st Tr Births 137 *	Trimest imester Percent 89	er of First Prenatal 2nd Trimester Births Percent 15 10 * .	Visit Other/ Births 2	Unknown Percent 1
Race of Mother White Black Other	Births F	Percent 96 1 3	Low Birthweight (under 2,500 gm) Births Percent 10 6.5 * . *	1st Tr Births 137 *	Trimest imester Percent 89	er of First Prenatal 2nd Trimester Births Percent 15 10 * .	Visit Other/ Births 2 *	Unknown Percent 1
Race of Mother White Black Other Unknown	Births F 154 2 4 0	Percent 96 1 3	Low Birthweight (under 2,500 gm) Births Percent 10 6.5 *	1st Tr Births 137 *	Trimest imester Percent 89	er of First Prenatal 2nd Trimester Births Percent 15 10 *	Visit Other/ Births 2 *	Unknown Percent 1
Race of Mother White Black Other Unknown	Births F 154 2 4 0	Percent 96 1 3 0	Low Birthweight (under 2,500 gm) Births Percent 10 6.5 *	1st Tr Births 137 * *	Trimest imester Percent 89	er of First Prenatal 2nd Trimester Births Percent 15 10 *	Visit Other/ Births 2 *	Unknown Percent 1
Race of Mother White Black Other Unknown	Births F 154 2 4 0	Percent 96 1 3 0	Low Birthweight (under 2,500 gm) Births Percent 10 6.5 * Low Birthweight	1st Tr Births 137 * *	Trimest imester Percent 89 Trimest	er of First Prenatal 2nd Trimester Births Percent 15 10 *	Visit Other/ Births 2 * * * Visit	Unknown Percent 1
Race of Mother White Black Other Unknown			Low Birthweight (under 2,500 gm) Births Percent 10 6.5 * Low Birthweight (under 2,500 gm)	1st Tr Births 137 * *	Trimest imester Percent 89 Trimest	er of First Prenatal 2nd Trimester Births Percent 15 10 *	Visit Other/ Births 2 * * * Visit Other/	Unknown Percent 1 Unknown
	Fe	rtility	Low Birthweight (under 2,500 gm) Births Percent 10 6.5 * Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births 137 * *	Trimest imester Percent 89 Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 15 10 * * * cer of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births 2 * * Visit Other/ Births	Unknown Percent 1 Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15	Fe	rtility	(under 2,500 gm)	1st Tr Births	Trimest imester Percent 89 Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 15 10 * * * * * * * * * * * * * * * * * *	Visit Other/ Births 2 * * * Visit Other/ Births	Unknown Percent 1 Unknown Percent
Age of Mother <15	Fe Births O	ertility Rate 9	(under 2,500 gm) Births Percent	1st Tr Births 137 * *	Trimest imester Percent 89 Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 15 10 * * * : ::::::::::::::::::::::::::::	Visit Other/ Births 2 * * Visit Other/ Births .	Unknown Percent 1 Unknown Percent .
Age of Mother <15 15-17	Fe Births 0 3	ertility Rate 9	(under 2,500 gm) Births Percent	1st Tr Births	imester Percent	2nd Trimester Births Percent 	Visit Other/ Births 2 * * Visit Other/ Births .*	Unknown Percent 1 Unknown Percent .
Age of Mother <15 15-17 18-19	Fe Births 0 3 14	ertility Rate 9	(under 2,500 gm) Births Percent	1st Tr Births *	imester Percent 93	2nd Trimester Births Percent 1 7	Visit Other/ Births 2 * * Visit Other/ Births .	Unknown Percent
Age of Mother <15 15-17 18-19 20-24	Fe Births 0 3 14 45	ertility Rate 9 66 112	(under 2,500 gm) Births Percent 1 7.1 2 4.4	1st Tr Births ; 13 41	imester Percent 93 91	2nd Trimester Births Percent 1 7 3 7	Visit Other/ Births 2 * * Visit Other/ Births	Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29	Fe Births 0 3 14 45 47	ertility Rate 9 66 112 140	(under 2,500 gm) Births Percent 1 7.1 2 4.4 1 2.1	1st Tr Births * 13 41 43	imester Percent 93 91 91	2nd Trimester Births Percent	Visit Other/ Births 2 * * Visit Other/ Births . 1	Unknown Percent 1 Unknown Percent 2 2
Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 0 3 14 45 47 36	ertility Rate 9 66 112 140 88	(under 2,500 gm) Births Percent 1 7.1 2 4.4 1 2.1 5 13.9	1st Tr Births * 13 41 43 31	imester Percent 93 91 91 86	2nd Trimester Births Percent	Visit Other/ Births 2 * * Visit Other/ Births . 1 1	Unknown Percent 2 2
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 3 14 45 47 36 13	ertility Rate 9 66 112 140 88 26	(under 2,500 gm) Births Percent 1 7.1 2 4.4 1 2.1 5 13.9 1 7.7	1st Tr Births * 13 41 43	imester Percent 93 91 91	2nd Trimester Births Percent	Visit Other/ Births 2 * * Visit Other/ Births . 1 1 1 1 1	Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births 0 3 14 45 47 36 13 2	ertility Rate 9 66 112 140 88 26 3	(under 2,500 gm) Births Percent 1 7.1 2 4.4 1 2.1 5 13.9	1st Tr Births * 13 41 43 31 9	imester Percent 93 91 91 86	2nd Trimester Births Percent	Visit Other/ Births 2 * * Visit Other/ Births . 1 1 1 .	Unknown Percent 2 2
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 3 14 45 47 36 13	ertility Rate 9 66 112 140 88 26	(under 2,500 gm) Births Percent 1 7.1 2 4.4 1 2.1 5 13.9 1 7.7	1st Tr Births * 13 41 43 31 9	imester Percent 93 91 91 86	2nd Trimester Births Percent	Visit Other/ Births 2 * * Visit Other/ Births . 1 1 1 1 *	Unknown Percent 2 2

REPORTED* CASES OF SELECTED DISEASE	neonatal, S Perinatal	and postneor and fetal de	natal death eath rates	per 100,000 population. n rates are per 1,000 li are per 1,000 live birt lculated for fewer than	ve births. hs plus	
Giardiasis	5 Crude Deatl	h Rate	179 1,164	Selected Underlying Cause Heart Disease (total)	51	Rate 332
Hepatitis Type B** Hepatitis NANB/C	5 Age 9 1-4 0 5-14	Deaths	Rate	Ischemic heart diseá Cancer (total) Trachea/Bronchus/Lun	37 g 13	163 241
Lyme	0 5-14 9 15-19 0 20-34	1 4		Colorectal Female Breast	3	.*
Meningitis, Aseptic	0 20-34 0 35-54 0 55-64	4 11 18		Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza	12	
Mumps Pertussis	0 65-74 0 75-84	33 51	2,401 5,057	Accidents Motor vehicle	12 1	:
Shigellosis	5 85+ 0 0	61	13,495	Diabetes Infect./Parasitic Dis Suicide	. 4 2	:
2002 provisional data	Infant Mortality	Deaths	Rate	* Rate for female bre		based
* Includes all positive HBsAg test results	Total Infant Neonatal Postneonata			on female popul		YING
Sexually Transmitted Disease	Unknown	•	•	OR CONTRIBUTING CA		Ή
Chlamydia Trachomatis 1 Genital Herpes 2 Gonorrhea <	6 Race of Mothers 5 White 65 Black	er •	•	Alcohol Other Drugs Both Mentioned	3 8 1	
	0 Other Unknown	:	:	MOTOR VEHIC		
IMMUNIZATIONS	 Birthweight <1.500 am			Note: These data are based on location of crash, not on residence.		
Children in Grades K-12 by	1,500-2,499 (2,500+ gm	gm .				
Compliance Level Compliant 2,752 Non-compliant 4 Percent Compliant 99.9	Uńknown	•	•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	111 Jured 130 25	2 7
Percent ['] Compliant 99.9	Perinatal Mortality	Deaths	Rate	With Citation: For OWI	14	0
	Total Perina Neonatal Fetal	tal .	•	For Speeding Motorcyclist Bicyclist	16 8 0	0
	letar	•	•	Pedestrian	2	0

PAGE 3

Per Average Per Average Charge Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Capita Injury-Related: All Alcohol-Related Total 55 18-44 25 45-64 13 Total 158 10.3 5.1 \$14,361 \$148 3.6 4.0 \$3,343 \$12

 <18</td>
 7
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 . 5.0 3.0 \$2.245 \$11 13 . \$126 \$101 Pneumonia and Influenza \$40 \$368 Injury: Hip Fracture Total 34 2.2 6.4 \$11,853 65+ 31 10.9 6.6 \$11,739 \$26 \$128 \$167 Injury: Poisonings Cerebrovascular Disease Total 8 18-44 5 \$27 \$111

 sychiatric

 Total
 93
 6.0
 4.7
 \$3,932

 <18</td>
 28
 7.9
 7.1
 \$5,160

 18-44
 41
 8.1
 3.6
 \$2,813

 45-64
 13
 .
 .
 .

 65+
 11
 .
 .
 .

 Chronic Obstructive Pulmonary Disease Psychiatric Total 44 2.9 3.0 \$5,490
<18 1 . . .
18-44 2 . . .
45-64 5 . . .
65+ 36 12.7 3.3 \$6,035

Drug-Related \$24 \$16 \$41 \$23 3.3 \$6,035 \$77 18 Total Coronary Heart Disease 18-44 Total 147 9.6 4.1 \$21,519 13 \$206 3.4 \$21,717 45-64 53 13.5 3.4 \$21,717 65+ 87 30.7 4.7 \$21,387 \$293 \$656 Total Hospitalizations 3.9 \$9,387 \$1,218 Total 1,994 129.7

 <18</td>
 279
 78.4
 2.8
 \$3,264
 \$256

 18-44
 462
 91.5
 3.1
 \$6,564
 \$601

 45-64
 369
 93.9
 3.9
 \$12,735
 \$1,196

 65+
 884
 311.8
 4.7
 \$11,396
 \$3,553

 Malignant Neoplasms (Cancers): All ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) \$148 Neoplasms: Colo-rectal \$16 Total 9 . 65+ 7 . \$30 \$116 Neoplasms: Lung Total 5 . \$567 * Hospitalizations for conditions where timely and effective Diabetes Total 14 65+ 10 ambulatory care can reduce the likelihood of hospitalization.